6/1/93 S1200-1(U) A

State of Connecticut

One Hundred and Thirty-Second

REGISTRATION REPORT

1979

STATE OF CONNECTICUT

ONE HUNDRED AND THIRTY-SECOND
REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDED DECEMBER 31, 1979

Issued by

THE STATE DEPARTMENT OF HEALTH SERVICES

HARTFORD

Published by the State

Price $10.00

DEPARTMENT OF HEALTH SERVICES

HARTFORD, December 1, 1982

To His Excellency, William A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and thirty-second report, relating to the births, marriages, divorces and deaths that were registered in Connecticut in the year 1979.

Very respectfully,

DOUGLAS S. LLOYD, M.D., M.P.H.

Commissioner of Health Services

Douglas S. Lloyd, M.D., M.P.H.

Commissioner of Health Services

Sir:

I have the honor to submit herewith the annual registration report for the year 1979, prepared by the Vital Records Section of the Division of Health Statistics.

At this time I wish to express my appreciation of the work performed by the section staff in preparing this report.

MERTON S. HONEYMAN, Ph.D.

Director, Division of Health Statistics

HAROLD BURDO, M.P.H.

Registrar, Vital Records

ROSALIND S. BENNETT, B.S.

Research Analyst, Statistical Section

CONTENTS

Vital Statistics for 1979	Page
Summary for Year	4
Population Estimates	5
Births	5
Fetal Deaths	5
Deaths	5
Leading Causes of Death	5
Infant Mortality	6
Marriages	7
Divorces	7

TABLES

Table No.		Table No. In Previous Reports	Page
1	Population Estimates by age and sex	III	8
2	Estimated populations and vital statistics by towns of residence	14	9
3	Live births, Connecticut residents by age of mother	4	16
3a	Live births to residents of Connecticut towns by race, low birthweight and maternal age	-	17
4	Fetal deaths occurring in Connecticut	5	30
5	Causes of fetal deaths occurring in Connecticut	6	31
6	Causes of death, Connecticut residents	10	32
7	Causes of death among nonwhites	11	36
8	Deaths under one year of age (infants)	18	40
9	Selected causes of infant deaths	13	45
10	Leading causes of death by age groups	XIII	49
11	Number of present marriage for brides and grooms	24	51
12	Previous marital status of brides and grooms	23	51
13	Dissolution of marriages	25	52
14	Children under 18 involved in dissolution of marriages	XXXVIII	52
15	Duration of marriages dissolved in 1979	XXXVII	50

Glossary	53
Rates, calculation of	54

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

The Annual Registration Report of Vital Statistics, 1979, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examining data sets:

A. Under-reporting

Registration of births in Connecticut is 99.9% accurate, and there is virtually no under-reporting of deaths. However, for marriages and divorces, the rate of under-reporting is more difficult to determine since there is no interstate transfer of these records. Because the State Health Department is not notified when these events occur out-of-state to Connecticut residents, there is a small but undetermined amount of under-reporting of these events. There is also no interstate transfer of records of fetal deaths.

B. Comparability of "Cause of Death" Data

The code for classifying the "cause-of-death", International Classification of Diseases (ICD) is revised every ten years to reflect changes in medical practices and new medical knowledge. This creates a limitation for comparisons of "cause-of-death" statistics between revision years. A ratio of comparability must be used to adjust for changes in the cataloging of diseases from one ICD revision to the next. In 1979 the Ninth Revision of the ICD became effective.

C. Inferences from Vital Events Data

Caution should be used in making interpretations and direct inferences based on rates that are calculated from a small number of events. This is especially true when comparing rates for different places and over several periods of time. Great variation in the rates will occur more frequently among smaller places than places with larger populations. This may severely limit the usefulness of the data for estimating probabilities of certain events recurring (relative risk, etc.) and may also limit their usefulness for comparisons.

D. Deletions from Previous Reports

This Registration Report of 1979 reflects a major re-organization in form and content initiated with the 1978 report. Accordingly, many tables which have appeared in past registration reports have not and will no longer be printed. Needs of the principal readers of this report were used to establish the criteria for selection of tables and other information here presented. However, data published in past reports will continue to be calculated and will be on file for distribution on request. This information can be obtained by contacting the

Statistics and Demography Unit of the Division of Health Statistics, 79 Elm Street, Hartford, Connecticut 06106, 566-5451 or 566-8515.

POPULATION

The estimated population of Connecticut as of July 1, 1979 was 3,179,907. This reflects a natural increase of 12,693, and a net out-of-Connecticut migration of 7,560. The population estimated for 1979 is a 0.16% increase over the previous year. The population of each town in Connecticut is estimated yearly using the preceding U.S. decennial census as a base line. Changes are calculated according to known births and deaths and migration as estimated by school enrollments and enumerations.

BIRTHS

In 1979 the number of resident live births was 38,648. This represents an increase of 1,536 from 1978 and a slight increase in the birth rate, to 12.2 per 1,000 population. Only 952 births, or 2.5% of all births to Connecticut residents, occurred out-of-state. There was a total of 4,611 births to teenage mothers (19 years of age or less), or 11.9% of all resident births. There was no change from 1978 in the proportion of births to teenage mothers.

Fetal Deaths

The fetal death rate showed a slight change in 1979 with a total count of 333 or 8.6 deaths per 1,000 births compared to 303 deaths and a rate of 8.2 in 1978.

DEATHS

The number of registered deaths among Connecticut residents for 1979 was 25,955, for a crude rate of 8.2 per 1,000 population. This is the same as the 1978 rate. Of the total number of resident deaths, 13,709 were males and 12,245 were females.

Of the total resident deaths, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 8,638 in 1979, or 33.3% of the total number of resident deaths. The median age at death was 73.5. Death for females occurred at an older age than males, 77.5, compared to 70.1, respectively.

Leading Causes of Death

In 1979 the five leading causes of death, in the order of their proportional share, were diseases of the heart, malignant neoplasms, cerebrovascular disease, accidents, and pneumonia and influenza. The leading cause of death among the 15 to 34 age group was accidents. Among the 35 to 44 group the leading cause was malignant neoplasms, and for those over 65, diseases of the heart was the leading cause of death.

Diseases of the Heart

Heart diseases accounted for 10,110 resident deaths in 1979, for a total proportional share of 39.0%. This reflects a slight increase of 1.0% from the proportional share of 38.6% for this cause in 1978. The median age at death from heart disease was 75.2. Other ischemic heart disease had a 38.2% share of the total heart disease mortality compared with a 38.7% share for acute myocardial infarction. Median age at death from myocardial infarction was 76.7; for other ischemic heart disease, median age was 81.6.

Malignant Neoplasms

There were 6,164 deaths attributed to malignant neoplasms in 1979, a proportional share of 23.8% of all resident mortality. The median age at death due to cancer in both sexes was 69.2. Malignant neoplasms of the digestive organs accounted for 29.2% of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (23.1%) of the genito-urinary system (15.8%) of the breast (8.8%), and of the lymphatic and hematopoietic tissue (8.6%).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 2,157 resident deaths in Connecticut; this cause of death had a proportional share of 8.3% of total resident deaths, a decrease from 1978 when this cause accounted for 9.2% of total resident deaths. The median age at death from cerebrovascular disease was 81.0

Accidents

Accidents of all types recorded accounted for 4.1% of all resident deaths in 1979. Of this total 54.8% was attributed to resident motor vehicle accidents. For those 24 years of age and less, the share in motor vehicle accidental deaths was 50.1%. This contrasts notably to the national share of 44.4% for this age group. The leading cause of non-motor vehicle accidents was falls, which had a 17.6% share of the total accidents.

Pneumonia and Influenza

Deaths from these causes amounted to 2.5% of total resident deaths. The crude mortality rate decreased 19.4% from the 1978 crude rate.

Infant Deaths

There were 466 resident infant deaths in Connecticut in 1979, a rate of 12.1 per 1,000 live births, compared to the previous year's total of 428, or 11.5 deaths per 1,000 live births. From 1978, this represents an increase in infant deaths by 5.2%, although Connecticut still contrasts favorably with the national rate of 13.1 per 1,000 live births. Of all resident infant deaths, 48.3% occurred within the first day, 67.0% within the first week, and 76.8% within the first month. Neonatal deaths showed a 5% increase from 341 in 1978 to 358 in the current year. This contrasts with a national decrease of 6.7%.

MARRIAGES

Marriages occurring in Connecticut totaled 25,431 in 1979, an increase of 1,430, or 6.0% from the previous year. The current year's total represents a marriage rate of 16.4 persons marrying per 1,000 population. The median age at marriage for grooms was 26.2, and for brides, 24.3, an increase from 1978 when the median age for grooms was 25.2 and for brides 22.9.

DIVORCES

There were 14,101 divorces granted in Connecticut during 1979, for a divorce rate of 8.9 persons divorced per 1,000 population. The current rate represents a 10% increase in divorce from the previous year.

Duration of Marriage

The median duration of those marriages which terminated in 1979 was 8.2 years, compared to a median duration in 1978 of 7.8 years.

TABLE 1-POPULATION ESTIMATES BY AGE AND SEX: CONNECTICUT
AS OF JULY 1, 1979

AGE GROUP	MALE	FEMALE	TOTAL
TOTAL	1,545,450	1,634,457	3,179,907
Total Under 5	93,750	90,450	184,200
Under 1 yr.	19,745	18,795	38,540
1-4	74,005	71,655	145,660
5-9	109,800	105,400	215,200
10-14	134,400	129,900	264,300
15-19	150,800	145,700	296,500
20-24	149,600	149,400	299,000
25-29	132,100	131,500	263,600
30-34	109,600	121,100	230,700
35-39	102,600	104,900	207,500
40-44	85,700	89,000	174,700
45-49	83,700	87,700	171,400
50-54	89,200	95,100	184,300
55-59	87,400	96,400	183,800
60-64	74,700	86,500	161,200
65-69	56,700	70,200	126,900
70-74	39,500	53,100	92,600
75 & over	45,900	78,107	124,007
75-79	23,900	37,400	61,300
80-84	13,500	24,700	38,200
85 & over	8,500	16,007	24,507
Median age	30.1	32.7	31.5

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

TOWN	Population estimated as of July 1, 1979	Place of Occurrence: Live Births	Place of Occurrence: Fetal Deaths	Place of Occurrence: Deaths	Place of Occurrence: Marriages	Place of Residence: Live Births: Total: All Races	Place of Residence: Live Births: Total: Non-white	Place of Residence: Live Births: Out-of-Wedlock: All Races	Place of Residence: Live Births: Out-of-Wedlock: Non-white	Place of Residence: Fetal Deaths: All Races	Place of Residence: Fetal Deaths: Non-white**	Place of Residence: Total Deaths: All Races	Place of Residence: Total Deaths: Non-white	Marriages: Groom	Marriages: Bride	RESIDENT RATES PER 1,000 POPULATION: Live Births	RESIDENT RATES PER 1,000 POPULATION: Deaths	RESIDENT RATES PER 1,000 POPULATION: Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CONNECTICUT	3,179,907*	38,452	333	26,133	25,431	38,648	5,312	6,749	2,929	320	58	25,955	1,272	22,069	23,315	12.2	8.2	14.3
HSA I, Southwestern	664,300	7,882	65	5,255	5,240	7,210	1,532	1,623	876	71	16	5,551	384	4,016	4,445	10.9	8.4	12.7
Bridgeport	148,000	4,182	39	2,236	1,137	2,578	790	1,025	522	35	9	1,556	196	1,169	1,143	17.4	10.5	15.6
Darien	23,200	1	-	62	198	144	-	8	-	-	-	137	2	80	114	6.2	5.9	8.4
Easton	6,300	-	-	22	43	42	-	4	-	-	-	40	-	17	26	6.7	6.3	6.8
Fairfield	59,200	1	2	233	458	362	11	18	2	2	-	470	2	300	390	6.1	7.9	11.7
Greenwich	64,200	825	2	520	572	487	22	14	5	-	-	517	7	270	335	7.6	8.1	9.4
Monroe	13,700	-	-	17	60	169	2	6	-	3	-	84	1	56	77	12.3	6.1	9.7
New Canaan	19,900	1	-	47	189	109	4	4	3	-	-	112	1	59	90	5.5	5.6	7.5
Norwalk	79,100	1,295	12	851	573	1,042	244	218	137	9	1	673	62	561	582	13.2	8.5	14.4
Stamford	107,700	1,576	10	925	846	1,265	392	244	186	12	6	899	94	778	814	11.7	8.3	14.8
Stratford	51,000	-	-	133	449	476	46	55	20	6	-	523	18	343	408	9.3	10.3	14.7
Trumbull	35,200	-	-	104	266	221	11	10	1	2	-	243	1	153	182	6.3	6.9	9.5
Weston	9,700	-	-	10	69	48	2	5	-	-	-	37	-	38	44	4.9	3.8	8.5
Westport	29,600	-	-	61	279	163	4	10	-	1	-	163	-	130	159	5.5	5.5	9.8
Wilton	17,500	1	-	34	101	104	4	2	-	1	-	97	-	62	81	5.9	5.5	8.2
HSA II, South Central	602,200	8,253	78	5,619	4,646	7,764	1,387	1,528	842	52	10	5,270	334	4,340	4,472	12.9	8.8	14.6
Ansonia	20,000	-	-	31	158	279	35	36	22	1	-	203	20	157	140	14.0	10.2	14.9
Bethany	4,500	-	-	5	24	57	1	3	-	-	-	29	-	24	28	12.7	6.4	11.6
Branford	22,200	1	-	52	204	299	6	16	1	-	-	175	1	213	201	13.5	7.9	18.6
Derby	12,500	695	7	414	121	134	2	12	2	-	-	141	1	101	104	10.7	11.3	16.4
East Haven	24,200	-	-	45	192	266	2	25	1	1	-	198	1	206	224	11.0	8.2	17.8
Guilford	16,000	2	-	64	146	196	4	3	-	1	-	104	-	102	115	12.3	6.5	13.6
Hamden	50,700	2	-	254	337	497	42	36	13	2	-	512	15	300	351	9.8	10.1	12.8
Madison	13,500	1	-	41	99	140	2	4	-	2	-	97	-	57	87	10.4	7.2	10.7
Meriden	57,100	1,097	11	641	405	772	59	123	23	6	1	526	10	447	449	13.5	9.2	15.7
Milford	51,600	445	3	369	450	622	9	53	-	2	-	397	8	406	428	12.1	7.7	16.2
New Haven	129,500	6,007	57	2,591	1,169	2,238	1,084	1,030	741	18	9	1,304	252	951	908	17.3	10.1	14.4
North Branford	12,000	-	-	19	82	146	2	7	-	2	-	68	1	49	62	12.2	5.7	9.2
North Haven	23,900	-	-	62	152	187	9	7	1	-	-	162	4	119	154	7.8	6.8	11.4

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

TOWN	Population estimated as of July 1, 1979	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white**	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA II,South Central Cont'd.																		
Orange	15,500	-	-	28	101	96	3	4	-	-	-	91	-	54	89	6.2	5.9	9.2
Oxford	5,900	-	-	10	57	86	1	3	-	-	-	35	-	37	37	14.6	5.9	12.5
Seymour	13,900	-	-	29	79	142	1	12	-	1	-	98	-	113	114	10.2	7.1	16.3
Shelton	30,900	-	-	126	145	380	8	24	2	3	-	194	-	189	201	12.3	6.3	12.6
Wallingford	36,200	-	-	215	328	440	11	24	1	7	-	331	2	298	307	12.2	9.1	16.7
West Haven	53,000	2	-	610	315	714	105	103	35	6	-	563	18	489	430	13.5	10.6	17.3
Woodbridge	9,100	1	-	13	82	73	1	3	-	-	-	42	1	28	43	8.0	4.6	7.8
HSA III,Eastern	499,450	5,268	40	3,696	4,307	6,728	427	669	135	51	5	3,873	88	3,783	3,944	13.5	7.8	15.5
Ashford	2,900	-	-	6	24	40	-	4	-	2	-	19	-	26	23	13.8	6.6	16.9
Bozrah	2,500	-	-	3	15	24	-	-	-	-	-	19	-	11	17	9.6	7.6	11.2
Brooklyn	5,900	-	-	20	47	65	1	-	-	1	-	40	-	40	43	11.0	6.8	14.1
Canterbury	3,300	-	-	6	22	50	-	3	-	2	-	30	-	19	22	15.2	9.1	12.4
Chaplin	1,700	-	-	3	11	32	-	2	-	-	-	8	-	19	17	18.8	4.7	21.2
Chester	3,300	1	-	26	42	38	1	1	-	1	-	35	-	23	30	11.5	10.6	16.1
Clinton	11,000	1	-	21	87	198	-	8	-	1	-	87	-	92	88	18.0	7.9	16.4
Colchester	8,000	-	-	23	45	163	6	11	1	1	-	52	-	56	58	20.4	6.5	14.3
Columbia	3,600	1	-	2	31	43	1	2	-	-	-	15	-	18	19	11.9	4.2	10.3
Coventry	8,700	3	-	11	55	140	-	8	-	-	-	62	-	75	70	16.1	7.1	16.7
Cromwell	8,800	-	-	46	87	128	8	6	-	-	-	81	-	81	94	14.5	9.2	19.9
Deep River	4,000	-	-	14	23	46	-	1	-	2	1	37	-	34	30	11.5	9.3	16.0
Durham	5,200	-	-	3	44	64	2	4	-	-	-	23	-	30	30	12.3	4.4	11.5
Eastford	1,100	-	-	1	16	12	-	2	-	1	-	10	-	8	8	10.9	9.1	14.5
East Haddam	5,300	2	-	18	60	70	1	7	-	-	-	34	-	43	41	13.2	6.4	15.8
East Hampton	8,300	1	-	43	71	129	3	10	-	2	-	64	-	68	73	15.5	7.7	17.0
East Lyme	13,900	1	-	19	143	134	3	6	1	-	-	95	-	121	120	9.6	6.8	17.3
Essex	5,100	-	-	56	49	48	3	4	1	-	-	59	-	39	38	9.4	11.6	15.1
Franklin	1,700	-	-	-	11	18	-	1	-	-	-	7	-	8	8	10.6	4.1	9.4
Griswold	8,500	-	-	30	75	125	1	14	-	1	-	89	1	76	75	14.7	10.5	17.8
Groton	37,500	860	5	136	387	717	72	54	13	7	1	212	6	325	325	19.1	5.7	17.3

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

TOWN	Population estimated as of July 1, 1979	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white**	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Haddam	6,100	-	-	6	35	84	1	4	-	-	-	44	-	37	35	13.8	7.2	11.8
Hampton	1,300	-	-	2	10	12	-	2	-	-	-	14	-	8	13	9.2	10.8	16.2
Killingly	15,700	-	-	107	147	246	2	28	-	-	-	131	3	137	141	15.7	8.3	17.7
Killingworth	3,600	1	-	6	29	39	1	1	1	-	-	42	-	17	17	10.8	11.7	9.4
Lebanon	4,800	-	-	7	30	60	1	2	-	-	-	25	-	21	22	12.5	5.2	9.0
Ledyard	16,300	1	-	15	91	203	4	4	-	3	1	65	-	103	123	12.5	4.0	13.9
Lisbon	3,300	-	-	2	14	38	-	4	-	-	-	15	-	24	27	11.5	4.5	15.5
Lyme	1,900	-	-	1	5	17	-	1	-	-	-	18	1	10	7	8.9	9.5	8.9
Mansfield	18,700	2	-	16	95	116	10	10	2	-	-	49	1	77	83	6.2	2.6	8.6
Middlefield	4,200	-	-	6	31	42	1	2	-	-	-	39	-	30	31	10.0	9.3	14.5
Middletown	37,500	959	7	715	309	515	87	62	30	3	1	331	15	328	309	13.7	8.8	17.0
Montville	16,800	-	-	13	126	234	6	15	-	-	-	78	4	126	135	13.9	4.6	15.5
New London	30,400	1,167	5	595	415	466	118	124	61	1	-	309	33	302	302	15.3	10.2	19.9
No. Stonington	3,900	-	-	11	28	32	-	-	-	-	-	18	1	19	19	8.2	4.6	9.7
Norwich	42,800	1,020	13	702	439	616	48	108	17	8	1	374	9	381	409	14.4	8.7	18.5
Old Lyme	5,800	-	-	11	86	70	2	9	-	2	-	46	-	42	48	12.1	7.9	15.5
Old Saybrook	9,300	-	-	92	83	83	5	4	-	1	-	97	-	54	83	8.9	10.4	14.7
Plainfield	12,300	1	-	47	97	182	-	21	-	1	-	111	1	97	113	14.8	9.0	17.1
Pomfret	2,600	1	-	6	37	35	-	-	-	-	-	15	-	18	11	13.5	5.8	11.2
Portland	9,100	1	-	44	77	80	6	6	3	-	-	86	1	47	54	8.8	9.5	11.1
Preston	4,100	-	-	38	48	38	-	1	-	-	-	29	-	28	29	9.3	7.1	13.9
Putnam	8,700	780	5	252	69	120	1	12	-	-	-	94	-	60	59	13.8	10.8	13.7
Salem	2,000	1	-	2	9	17	1	2	-	-	-	14	-	9	12	8.5	7.0	10.5
Scotland	1,000	-	-	2	12	8	-	-	-	-	-	7	-	6	9	8.0	7.0	15.0
Sprague	3,200	-	-	2	11	54	2	8	-	1	-	19	-	27	22	16.9	5.9	15.3
Sterling	1,900	-	-	4	22	29	-	3	-	1	-	13	-	20	17	15.3	6.8	19.5
Stonington	17,100	-	-	34	185	191	2	9	1	-	-	155	1	106	112	11.2	9.1	12.7
Thompson	8,700	-	-	15	71	102	1	8	-	-	-	55	-	40	58	11.7	6.3	11.3
Union	550	-	-	2	4	3	-	-	-	-	-	5	1	7	4	5.5	9.1	20.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

TOWN	Population estimated as of July 1, 1979	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white**	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Voluntown	1,600	-	-	-	-	29	-	3	-	-	-	22	-	8	6	18.1	13.8	8.8
Waterford	18,600	1	-	132	99	161	8	21	1	1	-	164	2	109	139	8.7	8.8	13.3
Westbrook	4,900	2	-	15	44	59	2	1	-	-	-	56	-	40	32	12.0	11.4	14.7
Willington	4,300	1	-	11	13	67	-	3	-	-	-	21	-	32	33	15.6	4.9	15.1
Windham	20,600	460	5	290	161	339	16	41	3	8	-	203	8	174	170	16.5	9.9	16.7
Woodstock	5,500	-	-	6	30	57	-	2	-	-	-	31	-	27	31	10.4	5.6	10.5
HSA IV, North Central	912,600	11,722	99	7,419	7,559	11,039	1,554	2,230	850	91	22	7,166	354	6,741	7,137	12.1	7.9	15.2
Andover	2,200	1	-	3	15	23	1	-	-	-	-	11	-	22	18	10.5	5.0	18.2
Avon	10,600	-	-	68	122	89	2	1	-	2	-	65	-	73	84	8.4	6.1	14.8
Berlin	15,500	-	-	38	111	149	1	4	-	-	-	115	-	86	87	9.6	7.4	11.2
Bloomfield	20,400	-	-	140	145	168	76	24	18	4	4	153	13	121	115	8.2	7.5	11.6
Bolton	3,900	-	-	2	28	38	-	-	-	1	-	21	-	33	36	9.7	5.4	17.7
Bristol	55,100	620	9	451	471	687	31	91	11	13	-	448	7	491	501	12.5	8.1	18.0
Burlington	5,100	-	-	5	37	74	3	1	-	1	-	25	-	34	45	14.5	4.9	15.5
Canton	7,700	-	-	12	42	100	1	2	-	1	-	38	-	59	70	13.0	4.9	16.8
East Granby	4,000	-	-	1	16	58	1	3	-	-	-	24	-	31	35	14.5	6.0	16.5
East Hartford	54,000	-	-	178	446	607	58	96	20	8	3	457	7	540	515	11.2	8.5	19.5
East Windsor	9,100	1	-	31	104	112	6	15	1	2	1	62	-	95	89	12.3	6.8	20.2
Ellington	9,100	-	-	11	67	144	3	7	-	-	-	38	1	74	67	15.5	4.2	15.5
Enfield	45,100	1	-	107	461	568	4	61	1	1	-	239	2	302	354	12.6	5.3	14.5
Farmington	16,400	454	6	265	170	149	7	5	-	-	-	125	-	109	122	9.1	7.6	14.1
Glastonbury	24,500	2	1	53	208	244	9	10	1	2	-	137	1	139	164	10.0	5.6	12.4
Granby	7,400	-	-	10	55	119	1	3	-	-	-	34	1	45	42	16.1	4.6	11.8
Hartford	145,300	6,956	58	2,697	1,285	2,628	1,085	1,449	727	20	10	1,298	263	1,122	1,127	18.1	8.9	15.5
Hartland	1,500	-	-	-	16	16	1	2	1	-	-	7	-	10	14	10.7	4.7	16.0
Hebron	5,200	-	-	-	25	95	-	4	-	4	-	15	-	34	33	18.3	2.9	12.9
Manchester	48,300	1,369	9	618	534	583	26	37	6	5	-	445	3	431	477	12.1	9.2	18.8

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

TOWN	Population estimated as of July 1, 1979	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white**	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV, North Central Cont'd.																		
Marlborough	4,100	-	-	8	39	68	-	1	-	-	-	22	1	26	31	16.6	5.4	13.9
New Britain	77,100	1,788	12	949	527	944	107	193	47	6	2	794	19	618	622	12.2	10.3	16.1
Newington	28,200	-	-	230	225	246	9	15	3	2	-	205	1	224	231	8.7	7.3	16.1
Plainville	17,200	-	-	48	133	178	5	19	1	1	-	127	2	112	115	10.3	7.4	13.2
Plymouth	11,200	1	-	19	81	140	2	16	1	2	-	94	-	86	89	12.5	8.4	15.6
Rocky Hill	12,300	-	-	203	87	165	9	9	2	1	-	111	1	140	131	13.4	9.0	22.0
Simsbury	21,200	-	-	41	175	176	4	3	-	1	-	106	3	99	131	8.3	5.0	10.8
Somers	7,300	-	-	11	66	82	1	5	-	1	-	49	1	43	52	11.2	6.7	13.0
Southington	34,300	1	-	169	292	437	9	25	-	2	-	224	2	268	272	12.7	6.5	15.7
South Windsor	16,700	-	-	34	162	171	11	9	2	-	-	91	4	117	142	10.2	5.4	15.5
Stafford	10,100	-	-	96	76	107	-	9	-	1	-	80	-	62	68	10.6	7.9	12.9
Suffield	10,100	1	-	16	77	87	3	7	-	-	-	63	4	53	64	8.6	6.2	11.6
Tolland	9,300	1	-	10	57	154	2	4	-	1	-	47	-	50	46	16.6	5.1	10.3
Vernon	28,200	526	4	265	216	399	20	40	1	2	1	194	-	257	286	14.1	6.9	19.3
West Hartford	68,300	-	-	308	484	457	13	29	2	4	1	679	4	316	376	6.7	9.9	10.1
Wethersfield	27,700	-	-	102	190	189	5	10	2	-	-	245	4	143	182	6.8	8.8	11.7
Windsor	24,800	-	-	173	208	282	37	12	3	-	-	193	10	178	191	11.4	7.8	14.9
Windsor Locks	14,100	-	-	47	106	106	1	9	-	3	-	85	-	98	113	7.5	6.0	15.0
HSA V, Northwestern	489,990	5,327	51	4,144	3,679	5,907	412	699	226	55	5	4,095	112	3,189	3,317	12.1	8.4	13.3
Barkhamsted	2,800	-	-	3	16	33	-	-	-	-	-	14	-	15	18	11.8	5.0	11.8
Beacon Falls	4,100	-	-	6	24	64	-	4	-	-	-	33	-	30	31	15.6	8.0	14.9
Bethel	13,500	1	-	20	101	249	7	14	3	1	-	96	1	94	99	18.4	7.1	14.3
Bethlehem	2,400	-	-	7	18	33	1	-	-	1	-	23	-	17	10	13.7	9.6	11.2
Bridgewater	1,700	1	-	3	10	9	-	-	-	-	-	11	1	7	7	5.3	6.5	8.2
Brookfield	11,800	-	-	12	81	151	2	4	-	-	-	70	-	59	67	12.8	5.9	10.7
Canaan	1,200	-	-	-	11	31	-	2	-	-	-	17	-	8	10	25.8	14.2	15.0
Cheshire	22,400	2	-	85	147	220	3	7	-	4	-	156	2	120	124	9.8	7.0	10.9
Colebrook	1,200	-	-	3	13	11	1	-	-	1	-	9	-	12	12	9.2	7.5	20.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

TOWN	Population estimated as of July 1, 1979	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white**	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Cornwall	1,200	-	-	3	19	9	-	1	-	-	-	13	-	15	14	7.5	10.8	24.2
Danbury	58,600	1,710	20	769	464	839	84	108	45	9	2	463	16	446	439	14.3	7.9	15.1
Goshen	1,700	-	-	4	30	15	-	1	-	-	-	9	-	17	12	8.8	5.3	17.1
Harwinton	5,300	-	-	6	34	42	-	-	-	-	-	33	1	30	27	7.9	6.2	10.8
Kent	2,400	-	-	13	15	20	-	1	-	-	-	30	-	13	13	8.3	12.5	10.8
Litchfield	8,000	-	1	31	87	84	2	4	-	4	-	62	-	46	42	10.5	7.8	11.0
Middlebury	6,500	-	-	28	48	48	1	2	-	1	-	33	-	24	33	7.4	5.1	8.8
Morris	1,800	-	-	1	7	19	-	-	-	-	-	9	-	14	15	10.6	5.0	16.1
Naugatuck	25,500	3	-	67	169	353	10	38	3	3	-	205	1	188	193	13.8	8.0	14.9
New Fairfield	9,900	-	-	8	48	120	1	1	-	3	-	59	1	35	40	12.1	6.0	7.6
New Hartford	4,600	-	-	5	44	58	-	3	-	1	-	26	-	31	32	12.6	5.7	13.7
New Milford	17,200	248	2	236	150	278	7	25	2	2	-	132	3	141	143	16.2	7.7	16.5
Newtown	17,900	1	-	101	118	223	1	10	-	3	-	96	1	89	99	12.5	5.4	10.5
Norfolk	2,100	-	-	9	26	27	-	2	-	-	-	21	2	9	14	12.9	10.0	11.0
North Canaan	3,100	-	-	44	29	11	-	-	-	-	-	27	-	15	16	3.5	8.7	10.0
Prospect	6,800	-	-	32	70	57	3	8	-	2	-	51	2	43	54	8.4	7.5	14.3
Redding	7,700	1	-	13	69	77	1	5	-	-	-	49	-	43	49	10.0	6.4	11.9
Ridgefield	20,400	1	-	29	173	174	3	8	-	2	-	98	1	83	107	8.5	4.8	9.3
Roxbury	1,500	-	-	5	21	14	-	-	-	1	-	14	-	11	11	9.3	9.3	14.7
Salisbury	3,700	-	-	22	36	23	-	1	-	-	-	54	-	18	20	6.2	14.6	10.3
Sharon	2,700	279	5	178	43	25	-	3	-	1	-	26	1	17	13	9.3	9.6	11.1
Sherman	2,000	-	-	1	15	15	-	-	-	-	-	21	-	14	18	7.5	10.5	16.0
Southbury	12,300	3	-	82	80	123	2	6	-	1	-	162	-	41	46	10.0	13.2	7.1
Thomaston	6,300	-	-	33	43	77	-	10	-	-	-	77	-	34	40	12.2	12.2	11.7
Torrington	31,100	741	7	398	199	358	9	25	-	5	-	303	1	238	248	11.5	9.7	15.6
Warren	990	-	-	2	18	8	-	-	-	-	-	6	-	7	7	8.1	6.1	14.1
Washington	3,600	-	-	8	27	38	-	2	-	-	-	42	-	20	23	10.6	11.7	11.9
Waterbury	112,000	2,332	16	1,652	760	1,432	269	373	173	8	3	1,176	76	772	770	12.8	10.5	13.8
Watertown	19,800	-	-	76	158	197	2	11	-	-	-	128	-	129	141	9.9	6.5	13.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1979

TOWN	Population estimated as of July 1, 1979	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white**	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Winchester	11,700	-	-	98	98	164	2	9	-	-	-	123	1	100	96	14.0	10.5	16.8
Wolcott	13,400	2	-	35	99	100	1	8	-	1	-	60	1	83	106	7.5	4.5	14.1
Woodbury	7,100	2	-	16	61	78	-	3	-	1	-	58	-	61	58	11.0	8.2	16.8
OUT-OF-STATE		952		884		756	43			13	-	1,061		3,358	2,114			
Unknown														4	2			

*Includes 11,367 population of state and federal institutions
**Race of mother
-No events reported

TABLE 3: LIVE BIRTHS, CONNECTICUT RESIDENTS, 1979

	ALL RACES											NONWHITE										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	38648	94	4517	11023	13278	7624	1850	237	16	-	9	5312	48	1248	1836	1273	669	204	33	-	-	1
Sex:																						
Male	19803	50	2331	5663	6765	3908	960	112	9	-	5	2714	28	638	948	626	348	107	19	-	-	-
Female	18845	44	2186	5360	6513	3716	890	125	7	-	4	2598	20	610	888	647	321	97	14	-	-	1
Place of delivery:																						
Hospitals	37598	91	4442	10787	12869	7385	1776	224	15	-	9	5271	47	1242	1823	1257	664	204	33	-	-	1
Other	93	1	7	23	40	16	6	-	-	-	-	18	-	5	5	7	1	-	-	-	-	-
Unknown	957	2	68	213	369	223	68	13	1	-	-	23	1	1	8	9	4	-	-	-	-	-
Legitimacy:																						
Legitimate	31899	13	1950	8602	12190	7212	1703	210	15	-	4	2383	1	166	739	792	506	155	24	-	-	-
Illegitimate	6749	81	2567	2421	1088	412	147	27	1	-	5	2929	47	1082	1097	481	163	49	9	-	-	1
Period of gestation:																						
Under 20 weeks	15	-	-	7	2	4	2	-	-	-	-	6	-	-	2	1	3	-	-	-	-	-
20-27 weeks	178	1	38	47	44	42	6	-	-	-	-	46	-	13	19	7	7	-	-	-	-	-
28-31 weeks	198	2	37	61	60	28	10	-	-	-	-	41	-	11	16	10	2	2	-	-	-	-
32-35 weeks	715	1	105	210	235	127	25	12	-	-	-	142	1	32	57	35	13	1	3	-	-	-
36 weeks	715	2	112	219	209	125	45	2	1	-	-	136	2	38	54	20	17	5	-	-	-	-
37-39 weeks	8141	18	848	2172	2838	1767	427	64	3	-	4	1183	10	250	395	276	181	60	11	-	-	-
40 weeks or over	21989	46	2554	6488	7574	4227	973	118	9	-	-	2550	21	594	891	613	320	98	13	-	-	-
Not stated	6697	24	823	1819	2316	1304	362	41	3	-	5	1208	14	310	402	311	126	38	6	-	-	1
Weight at birth:																						
1000 grams or less	233	3	42	63	59	58	8	-	-	-	-	78	1	19	29	17	12	-	-	-	-	-
1001-1500 grams	256	3	53	72	73	39	13	3	-	-	-	70	1	20	30	12	4	2	1	-	-	-
1501-2000 grams	521	1	85	162	155	88	24	5	1	-	-	120	-	22	50	31	14	1	2	-	-	-
2001-2500 grams	1757	7	319	541	529	268	78	15	-	-	-	416	5	129	160	70	40	8	4	-	-	-
2501-3000 grams	6457	22	1001	2008	2067	1048	277	30	3	-	1	1293	12	351	468	294	114	50	4	-	-	-
3001-3500 grams	14598	44	1798	4263	4981	2793	620	89	8	-	2	2010	22	477	701	489	251	61	8	-	-	1
3501-4000 grams	10863	11	967	2919	3993	2354	556	57	3	-	3	1043	6	198	308	282	179	60	10	-	-	-
4001-4500 grams	3196	1	225	825	1166	754	196	27	1	-	1	238	-	29	74	64	48	19	4	-	-	-
Over 4500 grams	620	1	25	158	201	173	56	6	-	-	-	40	-	3	14	13	7	3	-	-	-	-
Not stated	147	1	2	12	54	49	22	5	-	-	2	4	1	-	2	1	-	-	-	-	-	-
Plural births:																						
Single	37815	94	4435	10816	12997	7420	1796	232	16	-	9	5177	48	1221	1781	1247	646	200	33	-	-	1
Twins	829	-	82	207	281	200	54	5	-	-	-	135	-	27	55	26	23	4	-	-	-	-
Triplets	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES	38,648	2,767	147	94	244	513	826	1,289	1,645	11,023	13,278	7,624	1,850	237	16	9
NONWHITE	5,312	684	4	48	96	183	241	324	404	1,836	1,273	669	204	33	-	1
HSA 1 SOUTHWESTERN																
ALL RACES	7,210	544	82	24	52	104	167	250	310	1,835	2,251	1,641	507	62	4	3
NONWHITE	1,532	196	-	15	26	51	72	85	121	534	344	198	73	13	-	-
BRIDGEPORT																
ALL RACES	2,578	258	4	14	31	74	101	153	177	925	700	309	77	14	1	2
NONWHITE	790	114	-	8	16	33	41	53	66	304	171	72	23	3	-	-
DARIEN																
ALL RACES	144	8	8	-	-	1	-	2	1	11	32	69	27	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTON																
ALL RACES	42	2	-	-	-	-	-	1	1	7	12	19	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD																
ALL RACES	362	20	7	-	-	-	-	7	4	65	131	116	36	3	-	-
NONWHITE	11	1	-	-	-	-	-	-	-	1	2	6	2	-	-	-
GREENWICH																
ALL RACES	487	27	18	-	-	1	2	2	7	48	184	170	65	8	-	-
NONWHITE	22	-	-	-	-	1	1	1	1	2	9	6	1	-	-	-
MONROE																
ALL RACES	169	12	1	-	-	1	2	3	1	28	48	67	17	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
NEW CANAAN																
ALL RACES	109	3	6	-	-	1	-	-	2	13	25	44	19	5	-	-
NONWHITE	4	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-
NORWALK																
ALL RACES	1,042	72	4	2	9	9	24	35	55	270	326	239	63	8	1	1
NONWHITE	244	30	-	1	5	5	12	12	26	78	45	41	17	2	-	-
STAMFORD																
ALL RACES	1,265	86	23	6	8	13	22	33	43	311	419	312	87	10	1	-
NONWHITE	392	44	-	5	4	11	15	16	23	132	102	56	20	8	-	-
STRATFORD																
ALL RACES	476	31	3	2	2	3	13	10	15	119	180	97	29	5	1	-
NONWHITE	46	5	-	1	1	1	3	3	3	13	10	8	3	-	-	-
TRUMBULL																
ALL RACES	221	10	1	-	1	1	1	4	2	21	101	69	18	3	-	-
NONWHITE	11	2	-	-	-	-	-	-	-	3	4	2	2	-	-	-
WESTON																
ALL RACES	48	2	-	-	1	-	1	-	-	3	13	17	12	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
WESTPORT																
ALL RACES.....	163	7	4	-	-	-	1	-	1	7	51	66	35	2	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-
WILTON																
ALL RACES.....	104	6	3	-	-	-	-	-	1	7	29	47	20	-	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
HSA 2 SOUTH CENTRAL																
ALL RACES.....	7,764	566	16	21	59	114	152	253	339	2,125	2,747	1,554	345	50	4	1
NONWHITE.....	1,387	172	3	14	27	54	64	82	118	475	309	187	49	8	-	-
ANSONIA																
ALL RACES.....	279	22	-	-	1	5	2	10	23	97	91	42	5	2	-	1
NONWHITE.....	35	8	-	-	1	2	-	3	8	8	9	3	-	1	-	-
BETHANY																
ALL RACES.....	57	4	-	-	-	-	-	-	1	10	24	16	6	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
BRANFORD																
ALL RACES.....	299	16	-	-	1	3	3	8	4	60	138	61	17	4	-	-
NONWHITE.....	6	-	-	-	-	1	-	-	-	4	1	-	-	-	-	-
DERBY																
ALL RACES.....	134	11	-	-	-	3	4	8	4	40	49	18	7	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
EAST HAVEN																
ALL RACES.....	266	11	-	-	-	1	3	4	6	87	115	39	9	2	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
GUILFORD																
ALL RACES.....	196	8	-	-	-	-	-	-	3	26	80	70	15	2	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
HAMDEN																
ALL RACES.....	497	23	1	-	1	1	1	10	13	92	207	145	23	4	-	-
NONWHITE.....	42	4	-	-	1	-	-	-	1	11	16	12	-	1	-	-
MADISON																
ALL RACES.....	140	2	1	-	-	-	-	1	3	8	42	71	14	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
MERIDEN																
ALL RACES.....	772	63	1	3	8	20	15	36	40	261	266	102	19	2	-	-
NONWHITE.....	59	3	-	-	1	3	2	4	3	21	16	6	3	-	-	-
MILFORD																
ALL RACES.....	622	37	6	2	4	5	6	15	17	154	272	116	28	2	1	-
NONWHITE.....	9	1	1	1	-	-	-	-	-	1	4	3	-	-	-	-
NEW HAVEN																
ALL RACES.....	2,238	236	4	14	37	63	89	112	168	734	605	319	83	14	-	-
NONWHITE.....	1,084	141	2	13	23	46	60	71	97	386	223	129	31	5	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NORTH BRANFORD																
ALL RACES.....	146	5	-	-	1	-	1	-	2	25	58	47	10	2	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
NORTH HAVEN																
ALL RACES.....	187	8	1	-	-	-	1	4	6	26	81	56	10	3	-	-
NONWHITE.....	9	-	-	-	-	-	-	-	-	1	3	5	-	-	-	-
ORANGE																
ALL RACES.....	96	6	-	-	-	-	1	-	1	8	31	39	14	2	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
OXFORD																
ALL RACES.....	86	1	-	-	-	-	1	-	1	11	37	27	9	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SEYMOUR																
ALL RACES.....	142	8	-	1	-	-	2	5	4	48	47	31	4	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SHELTON																
ALL RACES.....	380	19	-	1	2	6	5	9	8	75	138	109	24	2	1	-
NONWHITE.....	8	1	-	-	1	-	-	-	-	1	2	3	1	-	-	-
WALLINGFORD																
ALL RACES.....	440	31	-	-	-	3	6	15	11	125	173	92	13	-	2	-
NONWHITE.....	11	-	-	-	-	-	-	-	1	3	5	2	-	-	-	-
WEST HAVEN																
ALL RACES.....	714	51	2	-	4	4	12	16	24	234	258	128	28	6	-	-
NONWHITE.....	105	14	-	-	-	2	2	4	7	37	29	17	6	1	-	-
WOODBRIDGE																
ALL RACES.....	73	4	-	-	-	-	-	-	-	4	35	26	7	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
HSA 3 EASTERN																
ALL RACES.....	6,728	422	10	7	12	69	146	238	326	2,242	2,324	1,093	244	27	-	-
NONWHITE.....	427	39	1	-	3	6	16	20	31	150	128	59	12	2	-	-
ASHFORD																
ALL RACES.....	40	3	-	-	-	1	1	-	3	13	12	8	1	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH																
ALL RACES.....	24	2	-	-	-	1	-	1	-	6	10	5	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN																
ALL RACES.....	65	5	-	1	-	2	-	2	-	19	28	9	4	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CANTERBURY																
ALL RACES.....	50	2	-	-	-	-	-	1	3	17	21	5	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN																
ALL RACES.....	32	-	-	-	-	-	-	-	1	16	9	4	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CHESTER																
ALL RACES	38	5	-	-	-	-	-	-	1	11	13	9	4	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CLINTON																
ALL RACES	198	16	2	-	-	-	3	2	8	54	81	44	5	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COLCHESTER																
ALL RACES	163	14	-	-	-	2	1	-	3	65	53	35	4	-	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-
COLUMBIA																
ALL RACES	43	-	-	-	-	2	-	1	-	6	15	15	4	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
COVENTRY																
ALL RACES	140	5	-	-	-	1	-	4	6	34	57	36	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CROMWELL																
ALL RACES	128	9	-	-	-	-	-	5	2	13	64	40	4	-	-	-
NONWHITE	8	-	-	-	-	-	-	-	-	1	2	5	-	-	-	-
DEEP RIVER																
ALL RACES	46	1	-	-	-	3	-	1	1	14	18	6	2	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM																
ALL RACES	64	3	-	-	-	-	1	2	-	11	26	16	8	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
EASTFORD																
ALL RACES	12	1	-	-	-	-	-	-	-	1	8	3	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM																
ALL RACES	70	4	-	1	-	-	2	3	2	22	27	10	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
EAST HAMPTON																
ALL RACES	129	8	-	1	-	1	3	3	5	25	48	35	6	2	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
EAST LYME																
ALL RACES	134	6	1	-	-	-	2	2	2	39	50	31	8	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
ESSEX																
ALL RACES	48	-	-	-	-	-	-	-	1	10	16	18	2	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
FRANKLIN																
ALL RACES	18	1	-	-	-	-	1	-	-	4	10	2	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
GRISWOLD																
ALL RACES.....	125	8	-	-	1	3	2	7	10	45	36	16	3	2	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
GROTON																
ALL RACES.....	717	36	1	-	-	6	12	11	35	316	242	71	22	2	-	-
NONWHITE.....	72	7	-	-	-	2	-	2	2	26	25	13	2	-	-	-
HADDAM																
ALL RACES.....	84	5	-	-	1	-	1	1	3	15	38	20	5	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
HAMPTON																
ALL RACES.....	12	1	-	-	-	-	-	-	1	4	3	4	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY																
ALL RACES.....	246	14	-	2	1	3	10	12	26	89	69	25	8	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
KILLINGWORTH																
ALL RACES.....	39	1	-	-	-	-	1	-	-	2	20	12	4	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
LEBANON																
ALL RACES.....	60	5	-	-	-	-	-	-	1	15	24	16	3	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
LEDYARD																
ALL RACES.....	203	13	-	-	-	1	3	6	7	59	71	46	15	1	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
LISBON																
ALL RACES.....	38	7	-	-	-	-	1	2	2	7	17	6	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME																
ALL RACES.....	17	1	-	-	-	-	-	-	-	5	3	8	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD																
ALL RACES.....	116	5	-	-	-	-	-	4	8	21	50	28	5	-	-	-
NONWHITE.....	10	-	-	-	-	-	-	-	2	2	4	2	-	-	-	-
MIDDLEFIELD																
ALL RACES.....	42	6	1	-	-	-	1	-	1	9	24	5	2	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MIDDLETOWN																
ALL RACES.....	515	38	1	-	1	4	13	28	27	192	163	76	11	-	-	-
NONWHITE.....	87	15	-	-	1	1	6	2	9	40	18	8	2	-	-	-
MONTVILLE																
ALL RACES.....	234	12	-	-	1	1	3	9	7	91	85	32	4	1	-	-
NONWHITE.....	6	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NEW LONDON																
ALL RACES	466	32	1	-	3	10	20	23	23	190	153	35	8	1	-	-
NONWHITE	118	13	1	-	2	2	7	7	7	46	41	6	-	-	-	-
N STONINGTON																
ALL RACES	32	2	-	-	-	-	-	-	-	7	13	10	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH																
ALL RACES	616	44	-	-	3	11	23	37	44	234	178	66	16	4	-	-
NONWHITE	48	1	-	-	-	1	1	4	5	19	11	3	2	2	-	-
OLD LYME																
ALL RACES	70	7	-	-	-	-	1	1	1	12	30	20	5	-	-	-
NONWHITE	2	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-
OLD SAYBROOK																
ALL RACES	83	1	1	-	-	-	-	3	6	21	28	17	7	1	-	-
NONWHITE	5	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-
PLAINFIELD																
ALL RACES	182	9	-	-	1	5	8	12	16	70	50	15	5	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POMFRET																
ALL RACES	35	-	-	-	-	-	-	1	1	9	13	8	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES	80	7	-	-	-	-	1	4	2	25	25	19	3	1	-	-
NONWHITE	6	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-
PRESTON																
ALL RACES	38	3	-	-	-	-	1	1	-	13	19	3	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM																
ALL RACES	120	12	-	-	-	-	6	5	5	56	33	11	4	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SALEM																
ALL RACES	17	3	-	-	-	1	-	-	-	6	6	3	1	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SCOTLAND																
ALL RACES	8	1	-	-	-	-	-	-	-	3	4	1	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES	54	4	-	-	-	2	-	1	3	19	18	4	6	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
STERLING																
ALL RACES	29	2	-	-	-	-	1	1	2	13	7	5	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
STONINGTON																
ALL RACES	191	9	-	-	-	-	2	8	9	52	72	38	8	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
THOMPSON																
ALL RACES	102	3	-	-	-	1	4	1	12	40	28	15	-	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
UNION																
ALL RACES	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN																
ALL RACES	29	2	-	-	-	-	2	-	4	12	7	4	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD																
ALL RACES	161	10	2	1	-	-	2	7	11	37	55	43	4	1	-	-
NONWHITE	8	-	-	-	-	-	-	2	-	2	2	2	-	-	-	-
WESTBROOK																
ALL RACES	59	3	-	-	-	1	1	2	1	15	24	11	4	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
WILLINGTON																
ALL RACES	67	4	-	-	-	-	-	1	2	16	30	17	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM																
ALL RACES	339	23	-	-	-	6	11	23	18	125	100	45	10	1	-	-
NONWHITE	16	2	-	-	-	-	1	1	2	6	5	1	-	-	-	-
WOODSTOCK																
ALL RACES	57	4	-	1	-	1	2	-	-	16	19	12	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES	11,039	873	9	34	92	171	255	383	459	3,194	3,841	2,102	436	62	5	5
NONWHITE	1,554	230	-	15	35	62	74	104	107	529	393	169	55	10	-	1
ANDOVER																
ALL RACES	23	2	-	-	-	-	1	-	2	8	8	4	-	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
AVON																
ALL RACES	89	2	-	-	-	-	1	-	1	11	35	35	6	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
BERLIN																
ALL RACES	149	9	-	-	-	-	-	2	3	28	70	40	5	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BLOOMFIELD																
ALL RACES	168	15	-	1	-	2	4	3	3	43	62	37	12	1	-	-
NONWHITE	76	8	-	1	-	2	2	3	3	16	29	14	6	-	-	-
BOLTON																
ALL RACES	38	-	-	-	-	-	-	-	1	7	12	15	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
BRISTOL																
ALL RACES	687	57	1	-	2	9	12	21	23	253	252	91	22	1	-	1
NONWHITE	31	2	-	-	1	3	1	2	2	7	10	3	1	-	-	1
BURLINGTON																
ALL RACES	74	7	1	-	-	-	1	-	2	8	37	24	1	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
CANTON																
ALL RACES	100	6	-	-	-	-	1	-	-	18	32	43	4	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
EAST GRANBY																
ALL RACES	58	4	-	-	-	1	-	-	1	12	17	21	6	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
EAST HARTFORD																
ALL RACES	607	44	1	2	5	5	9	21	32	181	237	98	15	2	-	-
NONWHITE	58	7	-	1	2	2	-	1	4	15	20	11	2	-	-	-
EAST WINDSOR																
ALL RACES	112	8	-	-	-	2	1	4	6	46	40	7	6	-	-	-
NONWHITE	6	3	-	-	-	-	-	1	-	4	1	-	-	-	-	-
ELLINGTON																
ALL RACES	144	9	-	-	-	-	6	2	2	29	62	33	9	-	-	1
NONWHITE	3	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
ENFIELD																
ALL RACES	568	37	1	2	4	3	11	16	26	171	212	95	25	2	1	-
NONWHITE	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
FARMINGTON																
ALL RACES	149	10	-	-	-	1	-	-	2	23	61	54	8	-	-	-
NONWHITE	7	2	-	-	-	-	-	-	-	1	5	1	-	-	-	-
GLASTONBURY																
ALL RACES	244	19	-	-	-	1	-	1	5	34	98	85	19	1	-	-
NONWHITE	9	2	-	-	-	-	-	-	-	2	4	2	1	-	-	-
GRANBY																
ALL RACES	119	5	-	-	-	1	1	-	4	18	48	40	6	-	1	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
HARTFORD																
ALL RACES	2,628	332	1	22	64	108	133	187	189	977	611	253	68	15	-	1
NONWHITE	1,085	178	-	11	31	53	64	83	86	405	239	78	29	6	-	-
HARTLAND																
ALL RACES	16	1	-	-	-	-	-	-	1	1	12	2	-	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
HEBRON																
ALL RACES	95	6	-	-	-	-	1	2	3	20	38	28	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
MANCHESTER																
ALL RACES.....	583	29	-	1	3	1	12	21	15	174	230	102	22	-	2	-
NONWHITE.....	26	1	-	-	-	-	1	1	-	9	8	6	1	-	-	-
MARLBOROUGH																
ALL RACES.....	68	2	-	-	-	-	-	3	-	11	29	21	4	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN																
ALL RACES.....	944	76	-	4	10	19	27	41	51	340	305	112	27	7	-	1
NONWHITE.....	107	14	-	2	1	2	4	7	11	44	22	10	2	2	-	-
NEWINGTON																
ALL RACES.....	246	12	-	-	-	2	1	3	5	55	108	57	14	1	-	-
NONWHITE.....	9	1	-	-	-	-	-	1	-	3	3	2	-	-	-	-
PLAINVILLE																
ALL RACES.....	178	8	1	-	-	-	7	4	8	51	74	27	5	2	-	-
NONWHITE.....	5	1	-	-	-	-	1	-	-	1	2	1	-	-	-	-
PLYMOUTH																
ALL RACES.....	140	10	-	-	-	4	1	3	12	47	54	15	3	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
ROCKY HILL																
ALL RACES.....	165	11	-	-	-	-	-	1	3	29	79	46	7	-	-	-
NONWHITE.....	9	1	-	-	-	-	-	-	-	2	4	3	-	-	-	-
SIMSBURY																
ALL RACES.....	176	6	-	-	-	1	-	1	4	15	64	77	13	1	-	-
NONWHITE.....	4	1	-	-	-	-	-	-	-	1	-	1	2	-	-	-
SOMERS																
ALL RACES.....	82	3	-	-	-	-	-	2	2	22	31	17	4	4	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
SOUTHINGTON																
ALL RACES.....	437	27	1	-	-	1	6	10	11	106	170	105	26	1	-	1
NONWHITE.....	9	1	-	-	-	-	-	-	-	3	1	3	2	-	-	-
SOUTH WINDSOR																
ALL RACES.....	171	7	-	-	1	2	-	3	4	23	73	54	9	2	-	-
NONWHITE.....	11	2	-	-	-	-	-	1	-	1	6	2	1	-	-	-
STAFFORD																
ALL RACES.....	107	11	-	-	-	-	1	5	4	45	32	14	4	2	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUFFIELD																
ALL RACES.....	87	8	-	-	-	2	1	2	2	18	28	26	8	-	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
TOLLAND																
ALL RACES.....	154	7	1	-	-	1	-	1	4	31	58	50	7	2	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
VERNON																
ALL RACES	399	24	-	2	2	4	7	16	17	126	147	62	15	1	-	-
NONWHITE	20	1	-	-	-	-	1	-	-	5	7	5	2	-	-	-
WEST HARTFORD																
ALL RACES	457	25	1	-	1	-	5	2	4	70	182	167	23	3	-	-
NONWHITE	13	1	-	-	-	-	-	1	1	2	7	2	-	-	-	-
WETHERSFIELD																
ALL RACES	189	12	-	-	-	-	-	1	1	39	71	60	12	4	1	-
NONWHITE	5	1	-	-	-	-	-	-	-	3	1	1	-	-	-	-
WINDSOR																
ALL RACES	282	18	-	-	-	-	1	2	3	70	119	71	12	4	-	-
NONWHITE	37	3	-	-	-	-	-	1	-	1	17	13	3	2	-	-
WINDSOR LOCKS																
ALL RACES	106	4	-	-	-	1	4	3	3	34	43	14	3	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES	5,907	362	30	8	29	55	106	165	211	1,627	2,115	1,234	318	36	3	-
NONWHITE	412	47	-	4	5	10	15	33	27	148	99	56	15	-	-	-
BARKHAMSTED																
ALL RACES	33	3	-	-	-	-	-	-	1	7	15	10	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS																
ALL RACES	64	1	-	-	-	-	2	3	2	17	21	19	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL																
ALL RACES	249	18	-	2	1	-	1	7	4	55	101	67	10	1	-	-
NONWHITE	7	1	-	-	-	-	-	-	1	1	2	3	-	-	-	-
BETHLEHEM																
ALL RACES	33	2	-	-	-	-	1	-	-	7	16	6	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BRIDGEWATER																
ALL RACES	9	-	-	-	-	-	-	1	-	2	4	2	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES	151	6	3	-	-	-	1	-	3	24	57	48	15	3	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
CANAAN																
ALL RACES	31	2	-	-	-	1	-	1	1	7	11	7	2	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE																
ALL RACES	220	10	-	-	1	-	-	2	1	28	101	73	11	3	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
COLEBROOK																
ALL RACES.....	11	-	-	-	-	-	1	-	-	2	4	4	-	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CORNWALL																
ALL RACES.....	9	-	1	-	-	-	-	-	2	3	-	3	-	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY																
ALL RACES.....	839	61	4	3	2	13	17	26	26	254	296	166	32	4	-	-
NONWHITE.....	84	10	-	2	1	3	3	7	4	32	20	9	3	-	-	-
GOSHEN																
ALL RACES.....	15	-	-	-	-	-	-	1	-	4	7	3	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON																
ALL RACES.....	42	1	-	-	-	-	-	-	-	7	13	17	5	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT																
ALL RACES.....	20	-	1	-	-	-	-	-	-	6	10	3	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD																
ALL RACES.....	84	2	1	-	1	-	1	-	1	16	34	22	9	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
MIDDLEBURY																
ALL RACES.....	48	4	-	-	-	-	-	-	-	12	17	13	6	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MORRIS																
ALL RACES.....	19	-	-	-	-	-	1	-	1	1	9	6	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK																
ALL RACES.....	353	22	-	-	4	1	3	10	19	118	124	59	12	2	1	-
NONWHITE.....	10	2	-	-	-	-	-	-	1	1	3	5	-	-	-	-
NEW FAIRFIELD																
ALL RACES.....	120	10	2	-	-	-	2	-	2	18	54	30	12	2	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NEW HARTFORD																
ALL RACES.....	58	1	-	-	-	-	2	4	1	11	23	14	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW MILFORD																
ALL RACES.....	278	12	2	-	-	2	7	11	11	82	101	51	12	1	-	-
NONWHITE.....	7	-	-	-	-	-	1	-	-	1	3	1	1	-	-	-
NEWTOWN																
ALL RACES.....	223	7	3	-	-	1	2	2	4	45	75	67	24	2	1	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NORFOLK																
ALL RACES.....	27	1	1	-	-	-	1	1	1	6	8	7	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NORTH CANAAN																
ALL RACES	11	1	-	-	-	1	-	-	-	2	6	2	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT																
ALL RACES	57	4	-	-	1	-	1	3	3	8	23	13	5	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
REDDING																
ALL RACES	77	4	-	-	-	1	1	-	2	3	28	32	9	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
RIDGEFIELD																
ALL RACES	174	7	4	-	-	2	1	2	-	15	64	68	19	3	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
ROXBURY																
ALL RACES	14	-	-	-	-	-	-	1	1	4	3	1	3	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY																
ALL RACES	23	1	1	-	-	-	-	-	-	9	5	6	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON																
ALL RACES	25	1	3	-	-	-	1	1	-	7	11	3	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN																
ALL RACES	15	2	-	-	-	-	-	-	-	2	7	5	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY																
ALL RACES	123	6	2	-	-	2	2	1	1	22	52	30	12	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
THOMASTON																
ALL RACES	77	3	-	-	-	2	2	3	3	21	28	16	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TORRINGTON																
ALL RACES	358	18	-	-	2	5	3	11	18	120	116	63	19	1	-	-
NONWHITE	9	-	-	-	-	-	-	1	-	2	3	2	1	-	-	-
WARREN																
ALL RACES	8	-	-	-	-	-	-	-	-	1	2	4	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES	38	1	1	-	-	-	-	-	2	11	14	8	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY																
ALL RACES	1,432	124	-	2	15	21	40	60	89	521	441	186	49	7	1	-
NONWHITE	269	33	-	2	4	7	11	25	21	107	61	23	8	-	-	-

TABLE 3A: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1979-Continued

TOWN OF RESIDENCE	Total	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
WATERTOWN																
ALL RACES.....	197	13	-	-	1	1	1	5	3	51	92	33	10	-	-	-
NONWHITE.....	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-
WINCHESTER																
ALL RACES.....	164	10	-	-	-	2	8	5	4	60	57	22	5	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
WOLCOTT																
ALL RACES.....	100	3	-	1	1	-	1	3	4	25	41	19	4	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WOODBURY																
ALL RACES.....	78	1	1	-	-	-	3	1	1	13	24	26	10	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 4: Fetal Deaths Occurring In Connecticut, 1979

	ALL RACES											NONWHITE*										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	333	-	45	96	95	55	31	4	-	-	7	58	-	14	20	9	7	6	1	-	-	1
Sex:																						
Male	183	-	25	49	56	29	18	3	-	-	3	35	-	7	14	6	3	4	1	-	-	-
Female	147	-	20	46	37	26	13	1	-	-	4	23	-	7	6	3	4	2	-	-	-	1
Unknown	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Place of delivery:																						
Hospitals	327	-	43	93	95	54	31	4	-	-	7	57	-	13	20	9	7	6	1	-	-	1
Other	6	-	2	3	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-27 weeks	68	-	15	26	16	7	2	1	-	-	1	14	-	7	3	3	1	-	-	-	-	-
28-31 weeks	37	-	3	13	10	4	7	-	-	-	-	7	-	-	4	1	-	2	-	-	-	-
32-35 weeks	33	-	3	10	11	7	1	1	-	-	-	5	-	-	3	1	1	-	-	-	-	-
36 weeks	15	-	5	5	1	3	1	-	-	-	-	6	-	2	3	-	-	1	-	-	-	-
37-39 weeks	41	-	6	11	10	9	4	-	-	-	1	4	-	1	1	-	1	-	-	-	-	1
40 weeks or over	37	-	1	8	13	9	5	1	-	-	-	2	-	-	1	-	-	-	1	-	-	-
Unknown	101	-	12	23	33	16	11	1	-	-	5	20	-	4	5	4	4	3	-	-	-	-
Weight at birth:																						
1000 grams or less	117	-	19	35	37	17	8	-	-	-	1	23	-	8	5	6	1	3	-	-	-	-
1001-1500 grams	35	-	4	13	7	6	4	-	-	-	1	8	-	1	5	-	1	1	-	-	-	-
1501-2000 grams	28	-	5	9	5	7	1	-	-	-	1	7	-	2	2	-	2	-	-	-	-	1
2001-2500 grams	31	-	5	8	10	5	3	-	-	-	-	7	-	2	2	2	1	-	-	-	-	-
2501-3000 grams	34	-	4	11	6	4	7	1	-	-	1	5	-	-	2	-	1	1	1	-	-	-
3001-3500 grams	36	-	4	7	17	4	3	1	-	-	-	5	-	1	3	1	-	-	-	-	-	-
3501-4000 grams	21	-	1	4	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4001-4500 grams	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Over 4500 grams	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	26	-	3	8	2	3	5	2	-	-	3	3	-	-	1	-	1	1	-	-	-	-
Plural births:																						
Single	305	-	44	85	90	47	29	4	-	-	6	55	-	14	20	7	7	5	1	-	-	1
Twins	28	-	1	11	5	8	2	-	-	-	1	3	-	-	-	2	-	1	-	-	-	-

*Race of mother
-No fetal deaths reported

TABLE 5: Causes of Fetal Deaths Occurring in Connecticut, 1979

ICD No.	CAUSES OF FETAL DEATHS (ICD NINTH REVISION)	TOTAL
Total		333
740	Anencephalus and similar anomalies	2
741	Spina bifida	1
748	Congenital anomalies of respiratory system	1
750	Other congenital anomalies of upper alimentary tract	1
759	Other and unspecified congenital anomalies	14
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	14
761	Fetus affected by maternal complications of pregnancy	19
762	Fetus affected by other complications of placenta, core and membranes	134
763	Fetus affected by other complications of labor and delivery	9
765	Disorders relating to short gestation and unspecified low birthweight	19
766	Disorders relating to long gestation and high birthweight	1
768	Intrauterine hypoxia and birth asphyxia	17
770	Other respiratory conditions of fetus	2
771	Infections specific to the perinatal period	2
772	Fetal and neonatal hemorrhage	5
773	Hemolytic disease of fetus, due to isoimmunization	4
775	Endocrine and metabolic disturbances specific to the fetus	5
778	Conditions involving the integument and temperature regulation of fetus	2
779	Other and ill-defined conditions originating in the perinatal period	81

TABLE 6: CAUSES OF DEATH;, CONNECTICUT RESIDENTS, 1979

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKNOWN
TOTAL, ALL CAUSES	25955	466	23	16	8	14	527	46	67	253	299	242	233	299	360	584	1,099	1,632	2,269	2,833	3,180	3,393	3,557	5,081	1
MALE	13709	260	14	12	4	8	298	26	35	196	234	169	158	187	213	360	715	1,022	1,416	1,781	1,810	1,750	1,532	1,806	1
FEMALE	12245	205	9	4	4	6	228	20	32	57	65	73	75	112	147	224	384	610	853	1,052	1,370	1,643	2,025	3,275	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
10-18 TUBERCULOSIS																									
MALE	9	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	2	1	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
36 MENINGOCOCCAL INFECTION																									
FEMALE	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	66	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	6	5	10	6	12	10	12	-
FEMALE	71	1	-	-	-	-	1	-	-	-	-	1	1	1	1	2	-	2	3	7	14	6	14	18	-
90-97 SYPHILIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	19	1	1	-	-	1	3	-	-	-	-	1	-	1	-	2	3	1	-	1	1	3	2	1	-
FEMALE	39	-	-	-	-	2	2	2	1	-	-	-	-	-	1	1	-	3	2	3	4	9	3	8	-
140-208 MALIGNANT NEOPLASMS																									
MALE	3,287	1	-	2	-	2	5	7	3	13	14	18	16	26	46	113	194	314	434	530	528	448	306	272	-
FEMALE	2,877	1	1	-	1	-	3	3	6	4	5	9	23	42	54	114	196	298	360	386	408	378	303	285	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	44	1	-	-	-	-	1	-	1	-	2	1	-	-	1	2	2	4	6	5	4	4	4	7	-
FEMALE	63	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	2	4	4	10	12	9	14	4	-
250 DIABETES MELLITIS																									
MALE	172	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	7	16	18	21	24	33	26	21	-
FEMALE	239	-	-	-	-	-	-	-	1	-	-	1	2	2	1	2	4	12	18	25	35	41	44	51	-
280-285 ANEMIAS																									
MALE	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	1	2	2	-
FEMALE	29	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	2	5	5	3	10	-

See footnotes at end of table.

TABLE 6: CAUSES OF DEATH;, CONNECTICUT RESIDENTS, 1979-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																					
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKNOWN
303 ALCOHOL DEPENDENCE SYNDROME																								
MALE	66	-	-	-	-	-	-	-	-	1	-	-	2	5	9	3	7	13	9	10	6	1	-	-	-
FEMALE	15	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	-	1	4	1	-	-	-	-	-
320-322 MENINGITIS																								
MALE	7	2	-	-	1	-	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE	7	3	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																								
MALE	6,658	9	1	-	-	-	10	1	3	2	15	14	18	50	69	147	349	470	690	892	929	963	909	1,127	-
FEMALE	6,511	-	1	-	-	-	1	3	1	-	3	11	7	26	35	41	92	183	309	439	695	954	1,321	2,390	-
390-398,402,404-429 DISEASES OF THE HEART																								
MALE	5,348	7	1	-	-	-	8	-	2	-	9	5	14	45	60	133	308	402	600	753	770	738	667	834	-
FEMALE	4,762	-	1	-	-	-	1	2	1	-	3	6	5	17	23	28	71	145	252	355	5[illegible]	702	930	1,683	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																								
MALE	42	1	-	-	-	-	1	-	-	-	-	-	-	-	-	3	5	4	10	7	4	1	5	2	-
FEMALE	76	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	5	5	16	16	12	9	8	-
402 HYPERTENSIVE HEART DISEASE																								
MALE	112	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	6	10	7	21	17	16	12	11	-
FEMALE	178	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	6	10	20	21	31	31	54	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																								
MALE	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	2	2	4	-
FEMALE	26	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	4	3	3	11	-
410-414 ISCHEMIC HEART DISEASE																								
MALE	4,219	-	-	-	-	-	-	-	1	-	1	2	11	36	41	109	237	317	478	583	621	584	534	664	-
FEMALE	3,585	-	1	-	-	-	1	-	-	-	-	-	-	7	13	18	44	101	184	257	396	525	715	1,324	-
415-429 OTHER HEART DISEASE																								
MALE	964	6	1	-	-	-	7	-	1	-	8	3	3	7	15	14	60	71	103	142	128	135	114	153	-
FEMALE	897	-	-	-	-	-	-	2	1	-	2	6	4	6	9	9	24	33	52	59	101	131	172	286	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																								
MALE	55	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	4	6	5	8	7	6	12	-
FEMALE	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	7	5	6	12	19	-

See footnotes at end of table.

TABLE 6: CAUSES OF DEATH;, CONNECTICUT RESIDENTS, 1979-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKNOWN
430-438 CEREBROVASCULAR DISEASES																									
MALE	850	2	-	-	-	-	2	1	1	1	6	5	4	4	5	9	26	46	52	93	88	152	166	189	-
FEMALE	1,307	-	-	-	-	-	-	1	-	-	-	3	2	8	11	9	16	23	41	62	115	199	307	510	-
440 ATHEROSCLEROSIS																									
MALE	211	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	7	15	11	28	41	39	63	-
FEMALE	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	5	8	21	24	49	146	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	194	-	-	-	-	-	-	-	-	1	-	3	-	-	1	2	9	11	17	30	35	25	31	29	-
FEMALE	120	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	2	6	5	7	16	23	23	32	-
480-484 PNEUMONIA																									
MALE	323	1	1	-	-	-	2	2	-	1	-	3	3	2	2	1	9	12	16	26	48	34	55	107	-
FEMALE	319	1	-	-	-	-	1	-	1	-	2	-	3	2	4	4	1	6	9	16	15	26	62	167	-
487 INFLUENZA																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE	472	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4	11	21	48	77	93	77	71	67	1
FEMALE	204	-	-	-	-	-	-	1	-	1	1	-	-	-	2	2	5	8	21	30	33	38	29	33	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE	27	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	4	3	5	6	3	4	-
FEMALE	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	2	8	6	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
MALE	21	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	4	-	3	3	3	5	-	-
FEMALE	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	5	9	12	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE	284	-	-	-	-	-	-	-	-	-	-	-	3	13	21	21	32	39	53	52	29	14	3	4	-
FEMALE	148	-	-	-	-	-	-	-	1	-	-	1	1	3	11	14	15	25	32	19	8	9	6	3	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE	102	1	2	-	-	-	3	-	1	-	1	-	3	2	-	2	2	12	9	13	9	13	10	22	-
FEMALE	103	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	3	2	5	12	11	13	16	36	-

See footnotes at end of table.

TABLE 6: CAUSES OF DEATH;, CONNECTICUT RESIDENTS, 1979-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKNOWN
590 INFECTIONS OF KIDNEY																								
MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	-	-	6	-
FEMALE	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	8	-
600 HYPERPLASIA OF PROSTATE																								
MALE	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	-
740-759 CONGENITAL ANOMALIES																								
MALE	63	48	2	2	-	1	53	1	1	-	3	1	-	-	-	1	1	1	-	-	-	-	1	-	-
FEMALE	89	56	2	1	-	1	60	4	2	-	2	1	-	1	-	1	1	2	2	4	3	1	3	2	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																								
MALE	165	162	2	-	-	-	164	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	120	120	-	-	-	-	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																								
MALE	27	25	1	1	-	-	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	12	12	-	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																								
MALE	724	2	2	5	1	4	14	9	12	133	118	70	51	39	28	19	30	27	40	23	32	23	24	32	-
FEMALE	343	2	3	2	-	-	7	7	11	32	35	16	12	8	9	12	14	13	18	13	25	29	37	45	-
E810-E825 MOTOR VEHICLE ACCIDENTS																								
MALE	442	1	1	1	1	3	7	5	5	114	93	54	39	27	18	8	12	13	15	10	10	4	6	2	-
FEMALE	143	-	2	1	-	-	3	3	7	27	29	12	9	4	6	7	8	7	3	3	6	6	-	3	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																								
MALE	26	-	-	1	-	-	1	1	1	6	3	3	3	-	1	-	-	1	4	1	-	1	-	-	-
FEMALE	6	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																								
MALE	205	-	-	-	-	-	-	-	2	18	26	19	21	17	13	7	13	17	16	11	7	11	3	4	-
FEMALE	70	-	-	-	-	-	-	-	-	3	4	7	5	6	10	3	7	5	8	7	1	2	1	1	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																								
MALE	105	1	-	-	-	-	1	3	1	13	16	18	17	11	4	7	6	3	-	5	-	-	-	-	-
FEMALE	39	2	-	-	2	-	4	-	3	6	3	6	4	4	-	1	2	1	1	1	1	2	-	-	-
ALL OTHER CAUSES																								
MALE	828	5	2	2	2	-	11	1	7	15	37	21	23	18	20	25	45	61	66	94	80	99	94	111	-
FEMALE	864	7	1	1	1	3	13	-	3	9	8	20	13	15	13	22	40	41	50	72	92	109	149	195	-

- NO DEATHS REPORTED
NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE ON REQUEST

TABLE 7: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1979

ICD 9TH REVISION	Total	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKNOWN
TOTAL, ALL CAUSES	1,272	107	4	4	4	3	122	6	8	12	19	39	43	42	58	68	112	114	121	125	113	108	60	102	-
MALE	717	57	2	3	2	2	66	6	3	9	16	26	26	25	33	43	78	73	72	70	60	50	25	36	-
FEMALE	555	50	2	1	2	1	56	-	5	3	3	13	17	17	25	25	34	41	49	55	53	58	35	66	-
10-18 TUBERCULOSIS																									
MALE	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
38 SEPTICEMIA																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-
FEMALE	8	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	1	-	2	1	-	1	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																									
MALE	190	-	-	-	-	1	1	2	-	1	-	2	1	3	6	15	23	25	29	27	21	19	8	7	-
FEMALE	122	-	-	-	-	-	-	-	2	-	1	2	4	4	7	12	9	19	13	15	15	10	6	3	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
250 DIABETES MELLITIS																									
MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	3	1	-	-
FEMALE	17	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	2	4	2	1	1	1	-
280-285 ANEMIAS																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	1	-	-	-	-	-	-
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-
320-322 MENINGITIS																									
FEMALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	227	2	-	-	-	-	2	-	2	-	3	3	5	7	11	9	28	29	22	26	28	21	10	21	-
FEMALE	236	-	-	-	-	-	-	-	-	-	-	2	2	4	5	4	17	15	25	24	28	38	23	49	-
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	167	1	-	-	-	-	1	-	2	-	2	-	4	7	8	8	23	20	15	16	22	17	6	16	-
FEMALE	173	-	-	-	-	-	-	-	-	-	-	1	2	2	5	3	11	12	20	17	19	28	16	37	-

See footnotes at end of table.

TABLE 7: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1979-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKNOWN
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																								
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
402 HYPERTENSIVE HEART DISEASE																								
MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	1	-	1	-	-
FEMALE	13	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	2	-	1	1	2
404 HYPERTENSIVE HEART AND RENAL DISEASE																								
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
410-414 ISCHEMIC HEART DISEASE																								
MALE	106	-	-	-	-	-	-	-	-	1	-	-	-	2	4	4	5	16	10	10	10	17	12	4	11	-
FEMALE	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	6	13	13	9	21	12	29	-
415-429 OTHER HEART DISEASE																								
MALE	51	1	-	-	-	-	1	-	1	-	2	-	2	2	1	1	5	10	5	5	5	4	2	5	-
FEMALE	43	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	3	4	5	2	9	5	3	6	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																								
MALE	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	1	-	-	-	-
FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	3	-
430-438 CEREBROVASCULAR DISEASES																								
MALE	36	1	-	-	-	-	1	-	-	-	1	-	1	-	2	1	3	5	3	8	4	2	2	3	-
FEMALE	45	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	5	6	6	7	7	6	-
440 ATHEROSCLEROSIS																								
MALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	1	-
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																								
MALE	9	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	2	1	-	-	1	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	-	2	-
480-486 PNEUMONIA																								
MALE	15	1	-	-	-	-	1	-	-	-	-	1	1	-	2	-	2	1	2	1	1	1	1	1	-
FEMALE	13	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	1	-	1	1	-	4	-

See footnotes at end of table.

TABLE 7: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1979-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKNOWN
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	1	-
FEMALE	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
531-533 ULCER OF STOMACH AND DUODENUM																									
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE	20	-	-	-	-	-	-	-	-	-	-	-	-	3	6	2	3	4	2	-	-	-	-	-	-
FEMALE	11	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	2	2	-	-	1	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE	10	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	4	1	1	-	1	1	-	-
FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	2	-
590 INFECTIONS OF KIDNEY																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
600 HYPERPLASIA OF PROSTATE																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
740-759 CONGENITAL ANOMALIES																									
MALE	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	10	9	1	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE	40	40	-	-	-	-	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	32	32	-	-	-	-	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																									
MALE	43	-	1	1	1	1	4	1	-	3	1	4	7	2	2	2	5	2	4	2	2	1	-	1	-
FEMALE	14	1	1	1	-	-	3	-	2	-	-	2	-	-	1	1	1	-	1	3	-	-	-	-	-

See footnotes at end of table.

TABLE 7: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1979-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKNOWN
E810-E825 MOTOR VEHICLE ACCIDENTS																								
MALE	14	-	-	-	1	-	1	-	-	-	-	2	5	1	1	-	2	-	1	1	-	-	-	-	-
FEMALE	5	-	1	-	-	-	1	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																								
MALE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																								
MALE	6	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																								
MALE	44	1	-	-	-	-	1	3	1	4	7	9	10	2	2	2	2	-	-	1	-	-	-	-	-
FEMALE	11	1	-	-	2	-	3	-	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																								
MALE	68	2	-	2	1	-	5	-	-	-	4	5	2	4	1	9	8	5	6	7	6	2	2	2	-
FEMALE	47	2	-	-	-	1	3	-	-	1	1	3	4	4	2	2	5	2	3	3	2	5	3	4	-

- NO DEATHS REPORTED

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1979

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT	466	107	225	87	46	50	58	105	282	98	25	37	42
HSA 1 SOUTHWESTERN	108	36	51	21	15	7	14	17	72	29	6	8	11
BRIDGEPORT	46	22	20	6	10	4	6	5	31	15	3	6	4
DARIEN	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTON	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD	8	-	3	2	1	-	2	3	4	-	-	-	1
GREENWICH	5	-	2	2	1	-	-	1	4	1	-	-	-
MONROE	2	-	2	-	-	-	-	-	2	2	-	-	-
NEW CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWALK	11	4	7	3	-	1	-	2	8	3	1	-	1
STAMFORD	22	8	12	4	1	1	4	3	15	5	2	1	3
STRATFORD	8	2	2	2	2	1	1	1	5	2	-	1	1
TRUMBULL	1	-	1	-	-	-	-	-	1	1	-	-	-
WESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT	2	-	-	1	-	-	1	1	-	-	-	-	1
WILTON	3	-	2	1	-	-	-	1	2	-	-	-	-
HSA 2 SOUTH CENTRAL	102	25	60	18	7	5	12	26	66	19	6	5	5
ANSONIA	6	2	3	1	-	-	2	3	2	-	1	1	-
BETHANY	1	-	1	-	-	-	-	-	1	-	1	-	-
BRANFORD	3	-	2	1	-	-	-	1	2	2	-	-	-
DERBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAVEN	-	-	-	-	-	-	-	-	-	-	-	-	-
GUILFORD	2	-	-	1	1	-	-	-	2	-	1	-	-
HAMDEN	5	1	3	1	-	1	-	2	3	1	-	-	-
MADISON	1	-	1	-	-	-	-	1	-	-	-	-	-
MERIDEN	13	-	9	4	-	-	-	1	12	3	1	-	-
MILFORD	7	1	5	-	1	1	-	3	4	-	1	-	-
NEW HAVEN	39	19	23	7	1	2	6	6	27	10	-	2	4
NORTH BRANFORD	3	1	-	-	1	-	2	1	1	-	-	1	-
NORTH HAVEN	2	-	1	-	-	-	1	2	-	-	-	-	-
ORANGE	2	-	1	1	-	-	-	1	1	-	-	-	-
OXFORD	1	-	1	-	-	-	-	-	1	-	-	-	-
SEYMOUR	1	-	1	-	-	-	-	-	1	1	-	-	-
SHELTON	1	-	1	-	-	-	-	-	1	-	1	-	-
WALLINGFORD	1	-	-	1	-	-	-	-	1	-	-	-	-
WEST HAVEN	14	1	8	1	3	1	1	5	7	2	-	1	1
WOODBRIDGE	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1979-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
HSA 3 EASTERN.....	61	3	28	12	3	8	10	13	34	7	4	3	9
ASHFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH	1	-	1	-	-	-	-	-	1	-	-	-	-
BROOKLYN	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY	1	-	1	-	-	-	-	-	1	-	1	-	-
CHAPLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER	2	-	2	-	-	-	-	-	2	1	-	-	-
CLINTON	3	-	2	-	-	-	1	2	1	-	-	-	-
COLCHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY	1	-	-	-	-	1	-	-	-	-	-	-	1
CROMWELL	2	-	1	1	-	-	-	-	2	1	1	-	-
DEEP RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	1	-	-	-	1	-	-	-	1	-	-	-	-
EAST HAMPTON	1	-	1	-	-	-	-	1	-	-	-	-	-
EAST LYME	1	-	-	-	-	-	1	-	-	-	-	-	1
ESSEX	1	-	-	-	1	-	-	-	1	-	1	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	2	-	-	1	-	-	1	-	1	-	-	-	1
GROTON	4	-	3	-	-	1	-	1	2	2	-	-	1
HADDAM	1	-	-	-	-	1	-	-	-	-	-	1	-
HAMPTON	1	-	-	1	-	-	-	-	1	-	-	-	-
KILLINGLY	3	-	-	2	-	1	-	2	1	-	-	-	-
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD	2	-	1	-	-	1	-	-	1	-	-	1	-
LISBON	1	-	1	-	-	-	-	-	1	1	-	-	-
LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD	1	-	1	-	-	-	-	-	1	-	-	-	-
MIDDLEFIELD	1	-	-	-	-	-	1	-	-	-	-	-	1
MIDDLETOWN	5	1	1	3	-	-	1	2	2	1	-	-	1
MONTVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW LONDON	3	-	2	-	-	-	1	1	2	-	1	-	-
N STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH	7	-	3	3	-	-	1	-	6	-	-	-	1

See footnotes at end of table.

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1979-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
OLD LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAINFIELD	1	-	1	-	-	-	-	-	1	-	-	-	-
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	3	-	1	-	1	-	1	1	2	1	-	-	-
PRESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM	3	-	1	-	-	2	-	1	-	-	-	2	-
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	1	-	-	1	-	-	-	1	-	-	-	-	-
STERLING	1	-	-	-	-	1	-	-	-	-	-	-	1
STONINGTON	1	-	-	-	-	-	1	-	-	-	-	1	-
THOMPSON	1	-	-	-	-	-	1	-	-	-	-	-	1
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM	5	2	5	-	-	-	-	1	4	-	-	-	-
WOODSTOCK	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL	140	35	62	25	12	24	17	35	78	31	5	14	13
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON	-	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN	1	-	1	-	-	-	-	-	1	1	-	-	-
BLOOMFIELD	1	1	1	-	-	-	-	-	1	-	1	-	-
BOLTON	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL	3	-	1	1	-	-	1	-	2	-	-	-	1
BURLINGTON	2	-	2	-	-	-	-	1	1	-	-	-	-
CANTON	1	-	-	-	1	-	-	1	-	-	-	-	-
EAST GRANBY	1	-	1	-	-	-	-	-	1	1	-	-	-
EAST HARTFORD	9	2	4	2	-	3	-	1	7	1	-	1	-
EAST WINDSOR	-	-	-	-	-	-	-	-	-	-	-	-	-
ELLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
ENFIELD	7	-	1	4	-	1	1	3	4	1	-	-	-
FARMINGTON	1	-	-	-	-	-	1	1	-	-	-	-	-
GLASTONBURY	2	-	-	1	-	1	-	-	1	-	-	1	-
GRANBY	1	-	1	-	-	-	-	1	-	-	-	-	-

See footnotes at end of table.

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1979-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
HARTFORD	62	29	28	7	8	12	7	11	38	15	3	6	7
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	1	-	-	-	-	-	1	-	-	-	-	1	-
MANCHESTER	4	-	2	-	-	-	2	2	2	2	-	-	-
MARLBOROUGH	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN	9	1	3	3	1	2	-	3	3	1	-	2	1
NEWINGTON	1	-	-	1	-	-	-	-	1	-	-	-	-
PLAINVILLE	1	-	-	-	-	1	-	-	-	-	-	1	-
PLYMOUTH	2	-	1	1	-	-	-	1	1	1	-	-	-
ROCKY HILL	2	-	1	1	-	-	-	2	-	-	-	-	-
SIMSBURY	3	1	1	-	1	1	-	-	2	1	-	1	-
SOMERS	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHINGTON	3	-	1	-	-	1	1	1	-	-	-	1	1
SOUTH WINDSOR	1	-	1	-	-	-	-	1	-	-	-	-	-
STAFFORD	1	-	-	1	-	-	-	-	1	-	-	-	-
SUFFIELD	3	-	3	-	-	-	-	-	3	2	-	-	-
TOLLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	6	-	3	1	-	1	1	2	4	2	1	-	-
WEST HARTFORD	7	-	3	1	1	-	2	1	4	2	-	-	2
WETHERSFIELD	2	-	2	-	-	-	-	1	1	1	-	-	-
WINDSOR	3	1	1	1	-	1	-	2	-	-	-	-	1
WINDSOR LOCKS	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 5 NORTHWESTERN	55	8	24	11	9	6	5	14	32	12	4	5	4
BARKHAMSTED	1	-	1	-	-	-	-	-	1	1	-	-	-
BEACON FALLS	1	-	-	-	-	1	-	-	-	-	-	1	-
BETHEL	1	-	-	1	-	-	-	1	-	-	-	-	-
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE	2	-	1	-	1	-	-	1	-	-	-	-	1
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY	5	-	2	2	1	-	-	1	3	1	1	-	1
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	1	1	-	-	1	-	-	1	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1979-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
LITCHFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLEBURY	1	-	-	-	1	-	-	-	1	-	1	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	4	-	2	-	-	2	-	-	3	2	-	1	-
NEW FAIRFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HARTFORD	1	-	1	-	-	-	-	-	1	-	-	-	-
NEW MILFORD	4	-	2	1	-	1	-	2	1	-	-	1	-
NEWTOWN	1	-	-	1	-	-	-	1	-	-	-	-	-
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	2	-	-	1	1	-	-	1	1	-	-	-	-
REDDING	-	-	-	-	-	-	-	-	-	-	-	-	-
RIDGEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY	1	-	1	-	-	-	-	1	-	-	-	-	-
THOMASTON	1	-	1	-	-	-	-	-	1	1	-	-	-
TORRINGTON	5	-	2	2	1	-	-	-	5	4	-	-	-
WARREN	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY	21	7	9	2	3	2	5	5	12	1	2	2	2
WATERTOWN	3	-	2	1	-	-	-	-	3	2	-	-	-
WINCHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLCOTT	-	-	-	-	-	-	-	-	-	-	-	-	-
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1979

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES...	466	225	87	18	8	20	358	25	25	12	13	7	4	4	4	9	4	1
MALE.....	260	124	48	13	6	6	197	15	15	9	7	3	1	4	2	5	1	1
FEMALE.....	205	100	39	5	2	14	160	10	10	3	6	4	3	-	2	4	3	-
UNKNOWN.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE.....	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																		
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE.....	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE.....	7	-	2	-	-	1	3	-	-	1	1	-	1	-	-	1	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-486 PNEUMONIA																		
MALE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	48	18	11	3	-	2	34	2	4	2	1	1	-	1	1	2	-	-
FEMALE.....	56	20	11	1	1	6	39	1	1	3	4	4	1	-	1	1	1	-
UNKNOWN.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1979-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	162	106	35	9	3	2	155	2	2	2	-	1	-	-	-	-	-	-
FEMALE	120	78	27	3	-	7	115	3	-	-	1	-	-	-	-	1	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	52	47	4	1	-	-	52	-	-	-	-	-	-	-	-	-	-	-
FEMALE	46	43	2	-	-	1	46	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	3	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	15	8	2	1	2	-	13	1	1	-	-	-	-	-	-	-	-	-
FEMALE	10	6	3	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	25	-	-	-	2	1	3	8	7	3	2	-	-	1	1	-	-	-
FEMALE	12	1	-	-	-	-	1	4	6	-	1	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																		
MALE	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
E913 ACCIDENTAL MECHANICAL SUFFOCATION																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER CAUSES																		
MALE	10	-	-	1	1	-	2	2	2	1	1	-	-	-	-	1	-	1
FEMALE	12	1	-	1	-	1	3	2	3	-	-	-	-	-	1	1	2	-

See footnotes at end of table.

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1979-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES...	107	59	15	2	3	4	83	5	7	1	3	-	1	1	2	2	2	-
MALE.....	57	30	8	1	3	1	43	2	4	1	3	-	-	1	1	2	-	-
FEMALE.....	50	29	7	1	-	3	40	3	3	-	-	-	1	-	1	-	2	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
480-486 PNEUMONIA																		
MALE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	5	1	-	-	-	1	2	-	-	1	-	-	-	1	-	1	-	-
FEMALE.....	9	3	2	-	-	1	6	1	1	-	-	-	-	-	-	-	1	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE.....	40	29	8	1	2	-	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	32	25	4	-	-	2	31	1	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE.....	15	15	-	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	15	15	-	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1979-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	4	3	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	5	-	-	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-
FEMALE	3	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																		
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	4	-	-	-	1	-	1	-	2	-	-	-	-	-	-	1	-	-
FEMALE	4	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	1	-

- NO DEATHS REPORTED

TABLE 10: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1979

ICDA 9th Revision	Total Deaths	Age Specific Death Rate Per 100,000	Cause Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Cause Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Cause Per Cent Within Age Group
All Causes (under 1 year)*	466	12.1	100.0	260	13.2	100.0	205	10.9	100.0
Certain conditions originating in perinatal period (immaturity related to low birth weight) (760-779)	282	7.3	60.5	162	8.2	62.3	120	6.4	58.5
Congenital Anomalies (740-759)	105	2.7	22.5	48	2.4	18.5	56	3.0	27.3
Sudden infant death syndrome (798.0)	37	1.0	7.9	25	1.3	9.6	12	0.6	5.9
Accidents and homicide (E800-E949, E960-E969)	7	0.2	1.5	3	0.2	1.2	4	0.2	2.0
Meningitis (320-322)	5	0.1	1.1	2	0.1	0.8	3	0.2	1.5
All other causes	30	0.8	6.4	20	1.0	7.7	10	0.5	4.9
All Causes (1-14 years)	174	27.8	100.0	99	31.1	100.0	75	24.4	100.0
Accidents, total (E800-E949)	56	9.0	32.2	33	10.4	33.3	23	7.5	30.7
Malignant Neoplasms (140-208)	25	4.0	14.4	14	4.4	14.1	11	3.6	14.7
Congenital Anomalies (740-759)	17	2.7	9.8	7	2.2	7.1	10	3.2	13.3
Homicide (E960-E969)	9	1.4	5.2	4	1.3	4.0	5	1.6	6.7
Diseases of the heart (390-398, 402, 404-429)	7	1.1	4.0	3	0.9	3.0	4	1.3	5.3
Influenza and pneumonia (480-487)	4	0.6	2.3	3	0.9	3.0	1	0.3	1.3
All other causes	56	9.0	32.2	35	11.0	35.4	21	6.8	28.0
All Causes (15-24 years)	552	92.7	100.0	430	143.1	100.0	122	41.3	100.0
Accidents, total (E800-E949)	318	53.4	57.6	251	83.6	58.4	67	22.7	54.9
Suicide (E950-E959)	51	8.6	9.2	44	14.6	10.2	7	2.4	5.7
Homicide and legal intervention (E960-E978)	38	6.4	6.9	29	9.7	6.7	9	3.0	7.4
Malignant neoplasms (140-208)	36	6.0	6.5	27	9.0	6.3	9	3.0	7.4
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	17	2.9	3.1	13	4.3	3.0	4	1.4	3.3
Diseases of the heart (390-398, 402, 404-429)	12	2.0	2.2	9	3.0	2.1	3	1.0	2.5
All other causes	80	13.4	14.5	57	19.0	13.3	23	7.8	18.9
All Causes (25-44 years)	1134	129.4	100.0	727	169.1	100.0	407	91.2	100.0
Malignant neoplasms (140-208)	234	26.7	20.6	106	24.7	14.6	128	28.7	31.4
Accidents, total (E800-E949)	233	26.6	20.5	188	43.7	25.9	45	10.1	11.1
Diseases of the heart (390-398, 402, 404-429)	175	20.0	15.4	124	28.8	17.1	51	11.4	12.5
Suicide (E950-E959)	98	11.2	8.6	70	16.3	9.6	28	6.3	6.9
Homicide and legal intervention (E960-E978)	64	7.3	5.6	50	11.6	6.9	14	3.1	3.4
Chronic liver disease & cirrhosis (571)	53	6.0	4.7	37	8.6	5.1	16	3.6	3.9
Cerebrovascular diseases (430-438)	42	4.8	3.7	18	4.2	2.5	24	5.4	5.9
Alcohol dependence syndrome (303)	23	2.6	2.0	16	3.7	2.2	7	1.6	1.7
Influenza & pneumonia (480-487)	19	2.2	1.7	10	2.3	1.4	9	2.0	2.2
All other causes	193	22.0	17.0	108	25.1	14.9	85	19.0	20.9

TABLE 10: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1979, cont'd.

ICDA 9th Revision	Total Deaths	Age Specific Death Rate Per 100,000	Cause Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Cause Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Cause Per Cent Within Age Group
All Causes (45-64 years)	5584	796.9	100.0	3513	1048.7	100.0	2071	566.3	100.0
Malignant neoplasms (140-208)	2023	288.7	36.2	1055	314.9	30.0	968	264.7	46.7
Diseases of the heart (390-398, 402, 404-429)	1939	276.7	34.7	1443	430.7	41.1	496	135.6	23.9
Chronic liver disease & cirrhosis (571)	231	33.0	4.1	145	43.3	4.1	86	23.5	4.2
Cerebrovascular diseases (430-438)	222	31.7	4.0	133	39.7	3.8	89	24.3	4.3
Accidents, total (E800-E949)	173	24.7	3.1	116	34.6	3.3	57	15.6	2.8
Chronic obstructive pulmonary diseases and allied conditions (490-496)	120	17.1	2.1	84	25.1	2.4	36	9.8	1.7
Diabetes mellitus (250)	79	11.3	1.4	43	12.8	1.2	36	9.8	1.7
Suicide (E950-E959)	76	10.8	1.4	53	15.8	1.5	23	6.3	1.1
All other causes	721	102.9	12.9	441	131.6	12.6	280	76.6	13.5
All Causes (65 years and over)	18044	5252.9	100.0	8679	6107.7	100.0	9365	4649.8	100.0
Diseases of the heart (390-398, 402, 404-429)	7970	2320.2	44.2	3762	2647.4	43.3	4208	2089.3	44.9
Malignant Neoplasms (140-208)	3844	1119.0	21.3	2084	1466.6	24.0	1760	873.9	18.8
Cerebrovascular diseases (430-438)	1881	547.6	10.4	688	484.2	7.9	1193	592.3	12.7
Influenza and pneumonia (480-487)	558	162.4	3.1	272	191.4	3.1	286	142.0	3.1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	548	159.5	3.0	385	270.9	4.4	163	80.9	1.7
Atherosclerosis (440)	430	125.2	2.4	182	128.1	2.1	248	123.1	2.6
Diabetes mellitus (250)	321	93.4	1.8	125	88.0	1.4	196	97.3	2.1
Accidents (E800-E949)	283	82.4	1.6	134	94.3	1.5	149	74.0	1.6
All other causes	2209	643.1	12.2	1047	736.8	12.1	1162	576.9	12.4

*Rates for persons under one year per 1,000 live births.

Table 11: Number of Present Marriage
Connecticut, 1979

Number	Bride	Groom
Total	25,431	25,431
First	18,291	17,615
Second	6,253	6,920
Third	765	805
Fourth	85	67
Fifth	10	9
Sixth	3	2
Seventh	-	-
Eighth	1	1
Unknown	23	12

Table 12: Previous Marital Status of Bride & Groom
Connecticut, 1979

Previous Marital Status	Bride	Groom
All Marriages	25,431	25,431
Never Married	18,287	17,608
Widowed	928	889
Divorced	6,181	6,891
Annulment	23	37
Unknown	12	6

TABLE 13: COUNTY OF DISSOLUTION OF MARRIAGES
CONNECTICUT, 1979

COUNTY	TOTAL
CONNECTICUT, TOTAL	14,101
Fairfield	3,162
Hartford	3,944
Litchfield	551
Middlesex	662
New Haven	3,403
New London	1,321
Tolland	629
Windham	429
Sex of Complainant:	
Male	4,412
Female	9,356
Not Stated	333

TABLE 14: CHILDREN UNDER 18
AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT, 1979

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	14,101
No children	5,893
One child	3,514
Two children	3,058
Three children	1,106
Four children	330
Five children	86
Six or more children	20
Not stated	94

TABLE 15: DURATION OF MARRIAGES DISSOLVED
CONNECTICUT, 1979

Year Marriage Was Contracted	Number of Marriages Dissolved	Year Marriage Was Contracted	Number of Marriages Dissolved
TOTAL	14,101	1965	386
1979	58	1964	412
1978	444	1963	321
1977	886	1962	266
1976	1,006	1961	296
1975	1,036	1960	249
1974	975	1959-1955	1,104
1973	956	1954-1950	627
1972	832	1949-1945	340
1971	721	1944-1940	134
1970	666	1939-1935	48
1969	679	1934-1930	16
1968	636	Prior to 1930	8
1967	517	Unknown	50
1966	432		

GLOSSARY

Birth Weight	Weight of fetus or infant at a time of delivery.
Fetal Death	Death prior to the complete expulsion of extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation at 350 grams or more; the fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed betweek the first day of the last menstrual period and date of delivery.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or show other signs of life.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate: Sum of (Age-Specific Death Rates X Proportion of Standard Population in Specific Age Group)

Age-Specific Birth Rate:

$$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age (Mid-Year)}} \times 1{,}000$$

Age-Specific Death Rate:

$$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100{,}000$$

Crude Birth Rate:

$$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population (Mid-Year)}} \times 1{,}000$$

Crude Death Rate:

$$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population (Mid-Year)}} \times 1{,}000$$

Divorce Rate:

$$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population (Mid-Year)}} \times 1{,}000$$

Fetal Death Rate:

$$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births and Fetal Deaths at Place of Occurrence}} \times 1{,}000$$

Infant Death Rate:

$$\frac{\text{No. of Infant Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$$

Marriage Rate:

$$\frac{\text{No. of Persons Married}}{\text{Total Resident Population (Mid-Year)}} \times 1{,}000$$